

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

U.S. National Rate	National Patient Safety Measure Performance
Not Available	Not Available
0.35	Not Available
4.71	Not Available
0.95	Not Available
2.05	Not Available
113.43	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
0.35	Not Available
4.71	Not Available
0.95	Not Available
2.05	Not Available
113.43	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

National Inpatient Quality Indicators Measure Performance

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Measure

National Rate - Serious Complications

National Rate - Collapsed lung due to medical treatment

National Rate - Serious blood clots after surgery

National Rate - A wound that splits open after surgery on the abdomen or pelvis

National Rate - Accidental cuts and tears from medical treatment

National Rate - Deaths among Patients with Serious Treatable Complications after Surgery

National Rate - Breathing Failure after Surgery

Pressure Sores (bedsores)

Infections from a large venous catheter

Broken Hip from a Fall After Surgery

Bloodstream infection after surgery

Serious Complications

Collapsed lung due to medical treatment

Serious blood clots after surgery

A wound that splits open after surgery on the abdomen or pelvis

Accidental cuts and tears from medical treatment

Deaths among Patients with Serious Treatable Complications after Surgery

Postoperative respiratory failure

Hip fracture mortality rate

Congestive Heart Failure (CHF) Mortality

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	231
Not Available	2458
Not Available	110
Not Available	1888
Not Available	229
Not Available	156
Not Available	2768
Not Available	77
Not Available	201
Not Available	215
Not Available	3115
Not Available	3050
Not Available	251

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

National Rate - Death after Surgery to Repair a Weakness in the Abdominal Aorta

Acute Stroke Mortality

Deaths for Certain Conditions

Abdominal Aortic Aneurysm

Acute Myocardial Infarction (AMI) Mortality

Pneumonia Mortality

National Rate - Deaths for Certain Conditions

Gastrointestinal (GI) Hemorrhage Mortality

National Rate - Deaths after admission for a broken hip

Too few - Breathing Failure after Surgery

Same - Breathing Failure after Surgery

Too few - Serious blood clots after surgery

Same - Deaths among Patients with Serious Treatable Complications after Surgery

Worse - Serious blood clots after surgery

Better - Accidental cuts and tears from medical treatment

Same - Serious blood clots after surgery

Worse - Collapsed lung due to medical treatment

Better - Breathing Failure after Surgery

Worse - Serious Complications

Same - Serious Complications

Same - Accidental cuts and tears from medical treatment

Worse - Breathing Failure after Surgery

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Not Available	370
Not Available	238
Not Available	41
Not Available	42
Not Available	2753
Not Available	63
Not Available	220
Not Available	Not Available
Not Available	156
Not Available	10
Not Available	84
Not Available	0
Not Available	3358
Not Available	40
Not Available	961
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available
Not Available	Not Available

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Too few - A wound that splits open after surgery on the abdomen or pelvis

Worse - Accidental cuts and tears from medical treatment

Too few - Collapsed lung due to medical treatment

Too few - Accidental cuts and tears from medical treatment

Same - A wound that splits open after surgery on the abdomen or pelvis

Better - Deaths among Patients with Serious Treatable Complications after Surgery

Better - Serious blood clots after surgery

Too few - Serious Complications

Better - Serious Complications

Better - Collapsed lung due to medical treatment

Worse - Deaths among Patients with Serious Treatable Complications after Surgery

Better - A wound that splits open after surgery on the abdomen or pelvis

Same - Collapsed lung due to medical treatment

Worse - A wound that splits open after surgery on the abdomen or pelvis

Too few - Deaths among Patients with Serious Treatable Complications after Surgery

Worse - Death after Surgery to Repair a Weakness in the Abdominal Aorta

Better - Deaths for Certain Conditions

Better - Death after Surgery to Repair a Weakness in the Abdominal Aorta

Same - Deaths for Certain Conditions

Worse - Deaths for Certain Conditions

Too few - Deaths after admission for a broken hip

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Quality Measures 091012

Based on Agency For Healthcare Research And Quality - National Measures

Same - Death after Surgery to Repair a Weakness in the Abdominal Aorta

Better - Deaths after admission for a broken hip

Same - Deaths after admission for a broken hip

Worse - Deaths after admission for a broken hip

Too few - Deaths for Certain Conditions

Too few - Death after Surgery to Repair a Weakness in the Abdominal Aorta